



Quartz surfaces for Countertops

**Reliable by Design**  
**Affordable by Nature**



### Strong & Durable

Comprised of up to 93% natural quartz



### Hygienic & Non-porous

Certified by the National Sanitation Foundation



### Stain & Scratch Resistant

Quartz is an impervious crystalline mineral



### Easy Care & Maintenance

High resistance to stains, chemicals and heat

## APPLICATIONS


- Modular Kitchen Countertops
- Bathroom and Vanity countertops
- Dining and Coffee table tops



## SLAB DIMENSION

- Size: 3150 x 790 mm
- Thickness: 18mm
- Area: 26 sft

# SPARKLE COLOURS



SPARKLE WHITE



SPARKLE GREY




SPARKLE BLACK



SPARKLE BLUE




SPARKLE TAN



SPARKLE BEIGE




SPARKLE RED




SPARKLE GREEN


# PLAIN COLOURS




PLAIN PEPPER




PLAIN GINGER




PLAIN GREY



PLAIN BEIGE




PLAIN CONCRETE



PLAIN WHITE


# PREMIUM COLOURS



PREMIUM WHITE



PREMIUM CARRARA



PREMIUM STATUARIO

# TRUSTED BY THE MARKET

Würfel®

**nolte**  
KÜCHEN

  
**Urban Ladder**  
Let's Create

  
**Prestige**  
GROUP  
Add Prestige to your life

**Reliance**  
*trends*

*Godrej*  
Godrej & Boyce Mfg. Co. Ltd.

**SIMPLY SOFAS**  
SO FA,  
SO GOOD.®

**SCAVOLINI**

 **LIVSPACE**

  
**mantri**

**iconhomz**  
Conscious Living

**ARISTO**®

  
**INTERIUS**  
Design - Deliver - Delight

**Häcker**  
kitchen.germanMade.

 **Home**  
**Lane**

**PURAVANKARA**®

 **LARSEN & TOUBRO**

**Slazek**®  
THE KITCHEN SPECIALIST



**Prajwal Mohan**



"Eterno quartz has a beautiful, uniform finish and still looks brand new despite daily cooking and heavy use"



**Harjot Kaur**



"The surface quality is excellent. scratch resistant, hygienic, and visually stunning under both natural and artificial light"



**Ronal Verghese**



"Eterno quartz is strong, stain-resistant, and easy to maintain. A great balance of durability and elegance"



**Niha Maria**



"Love the colour consistency and smooth texture. Eterno quartz feels premium and has held up perfectly over time."

# MATERIAL SPECIFICATIONS

Eterno Quartz combines exceptional technical specifications with easy maintenance and robust warranty coverage, making it an ideal choice for a variety of applications.

## Care & Maintenance

Eterno Quartz is designed for simple care and maintenance, ensuring long-lasting beauty. Follow these easy guidelines to keep your surfaces looking their best:

- Clean with mild soap and water
- No sealing required
- Use cutting boards for sharp objects
- Avoid placing hot cookware directly on surface
- Strictly avoid Harsh chemicals (acids, thinners, etc)
- Not for External/Outdoor Usage

## Warranty & Quality Assurance

Eterno Quartz is backed by a comprehensive warranty and quality assurance program, ensuring your peace of mind.


- Warranty: 5 Years (Residential Use Only)
- Coverage: Manufacturing defects covered
- Color Consistency: Within industry-accepted tolerances

## Technical Specifications

Here's a comprehensive overview of Eterno Quartz's technical specifications. Eterno Quartz is made with natural quartz and high-grade polyester resins and is engineered for lasting beauty and performance.

- Natural Quartz Content:  $\geq 88\text{--}92\%$  by weight
- Binder System: High-grade polyester resins
- Additives: Pigments and performance stabilizers
- Density:  $2.30 \pm 0.10 \text{ g/cm}^3$  (ASTM C97 / EN 14617-1)
- Water Absorption:  $\leq 0.05\%$  (ASTM C97 / EN 14617-1)
- Mohs Hardness:  $\geq 6.0$  (Mohs Scale)
- Flexural Strength:  $\geq 35 \text{ MPa}$  ( $\approx 5,000 \text{ psi}$ ) (ASTM C880 / EN 14617-2)
- Compressive Strength:  $\geq 200 \text{ MPa}$  (ASTM C170 / EN 14617-15)
- Abrasion Resistance:  $\leq 100 \text{ mm}^3$  (ASTM C241 / EN 14617-4)
- Bond Strength:  $\geq 200 \text{ psi}$  (ASTM C482)
- Thermal Shock Resistance: Pass 10+ cycles (ASTM C484 / EN 14617-6)
- Coefficient of Thermal Expansion:  $\leq 4 \times 10^{-5} / ^\circ\text{C}$
- Freeze–Thaw Resistance: No visible damage (ASTM C1026 / EN 14617-5)
- Fire Classification: Class A (ASTM E84 / EN 13501-1)
- Stain Resistance: Pass (no permanent staining) (ANSI Z124.6 / ASTM C650)
- Chemical Resistance: Class C4 or better (EN 14617-10)
- Porosity: Non-porous surface
- Standard Slab Thickness: 18 mm
- Surface Finishes: Polished (standard), Honed / Matte (optional)
- Dimensional Tolerance:  $\pm 1.0 \text{ mm}$





**ETERNO**  
QUARTZ

## **REACH US**

*[www.eternoquartz.in](http://www.eternoquartz.in)*

*+91 80882 20008*

*[sales@eternoquartz.in](mailto:sales@eternoquartz.in)*